

Vermeer Corporation reserves the right to make changes in engineering, design and specifications; add improvements; or discontinue manufacturing or distribution at any time without notice or obligation. Equipment shown is for illustrative purposes only and may display optional accessories or components specific to their global region. Please contact your local Vermeer deater for more information on mach specifications. Vermeer and the Vermeer logo are Trademarks of Vermeer Manufacturing Company in the U.S. and/or other countries. © 2018 Vermeer Corporation. All Rights Reserved.




VR-series wheel rakes from Vermeer deliver the strength, wide-stance balance and reliability needed to handle a heavy diet of haying — starting with the first cut. Handle different crops and conditions and reset windrow widths with the drop of a pin. Plus, you can turn hay in the center of the swath with optional center splitter wheels. It's a wheel rake that's decidedly different.

Vermeer



Vermeer Corporation reserves the right to make changes in engineering, design and specifications; add improvements; or discontinue manufacturing or distribution at any time without notice or obligation. Equipment shown is for illustrative purposes only and may display optional accessories or components specific to their global region. Please contact your local Vermeer dealer for more information on maching the state of the specific or their global region. Please contact your local Vermeer dealer for more information on maching the state of the specific or their global region.




Location listing title to be reversed white in all caps set in Helvetica Neue LT Std 77 Bold Condensed

Minimum font size should not be smaller than 5.5pt

Address and phone to be reversed white, initial cap set in Helvetica Neue LT Std 57 Condensed

Minimum font size should not be smaller than 5.5pt

## Vermeer Newsroom Vertical Multiple Dealer List Ad Variable Depth (Example shown is 7.5" wide x 10.25" tall at 70% scale)




Location listing title to be 80% black in all caps set in Helvetica Neue LT Std 77 Bold Condensed

Minimum font size should not be smaller than 5.5pt

Address and phone to be 80% black, initial cap set in Helvetica Neue LT Std 57 Condensed

Minimum font size should not be smaller than 5.5pt



1 color reversed white dealer logo

If there is no logo, typeset dealer name to be reversed white set in Helvetica Neue LT Std 77 Bold Condensed

Font size should not be smaller than 15pt

Address and phone to be 80% black, initial cap set in Helvetica Neue LT Std 57 Condensed

Minimum font size should not be smaller than 12pt

Dividing pipe stroke to be 1pt reversed white

Length dependent on logo size or typeset dealer name