

# THE **WORKING** MAN'S BALER.



The Signature name says it all. The 504R Signature baler advances the Vermeer legacy by giving the working man a baler and is built upon the three signature pillars of Vermeer balers — convenience, ease of use and durability. Combine that with a camless wide pickup, rotor and durable steel windguard roller for quiet and smooth operation — all while making bales at a quick pace. Backed by a 3-year pickup warranty\*, it's clear the 504R Signature baler is truly one of a kind.



Vermeer Corporation reserves the right to make changes in engineering, design and specifications; add improvements; or discontinue manufacturing or distribution at any time without notice or obligation. Equipment shown is for illustrative purposes only and may display optional accessories or components specific to their global region. Please contact your local Vermeer dealer for more information on machine specifications. Vermeer and the Vermeer logo are trademarks of Vermeer Manufacturing Company in the U.S. and/or other countries. © 2018 Vermeer Corporation. All Rights Reserved.

# THE **WORKING** MAN'S BALER.



The Signature name says it all. The 504R Signature baler advances the Vermeer legacy by giving the working man a baler and is built upon the three signature pillars of Vermeer balers — convenience, ease of use and durability. Combine that with a camless wide pickup, rotor and durable steel windguard roller for quiet and smooth operation — all while making bales at a quick pace. Backed by a 3-year pickup warranty\*, it's clear the 504R Signature baler is truly one of a kind.



Vermeer Corporation reserves the right to make changes in engineering, design and specifications; add improvements; or discontinue manufacturing or distribution at any time without notice or obligation. Equipment shown is for illustrative purposes only and may display optional accessories or components specific to their global region. Please contact your local Vermeer dealer for more information on machine specifications. Vermeer and the Vermeer logo are trademarks of Vermeer Manufacturing Company in the U.S. and/or other countries. © 2018 Vermeer Corporation. All Rights Reserved.



Vermeer Newsroom Vertical Multiple Dealer List Ad Fixed Depth  
(Example shown is 7.5" wide x 10.25" tall at 70% scale)

**SIMPLE PROCESS.**  
**TOUGH**  
**PROCESSOR.**

Meet your new herd-feeding workhorse. The BPX9010 is ready to bring simplicity, durability and versatility to your farm or ranch. Ready to distribute uniform windrows along bunk lines or out in the pasture. Ready to spread bedding with consistency and accuracy at ranges up to 50 ft (15.2 m). Ready to simplify the process of processing bales. It's ready. Are you?

**Vermeer**

Vermeer and the Vermeer logo are trademarks of Vermeer Manufacturing Company in the U.S. and/or other countries. © 2018 Vermeer Corporation. All Rights Reserved.

|   |   |   |   |  |
|---|---|---|---|--|
| <b>DEALERSHIP 1</b><br>Street Address<br>123-456-7890 | <b>DEALERSHIP 2</b><br>Street Address<br>123-456-7890 | <b>DEALERSHIP 3</b><br>Street Address<br>123-456-7890 | <b>DEALERSHIP 4</b><br>Street Address<br>123-456-7890 | <b>DEALERSHIP 5</b><br>Street Address<br>123-456-7890  |
| <b>DEALERSHIP 6</b><br>Street Address<br>123-456-7890 | <b>DEALERSHIP 7</b><br>Street Address<br>123-456-7890 | <b>DEALERSHIP 8</b><br>Street Address<br>123-456-7890 | <b>DEALERSHIP 9</b><br>Street Address<br>123-456-7890 | <b>DEALERSHIP 10</b><br>Street Address<br>123-456-7890 |

Location listing title to be reversed white in all caps set in Helvetica Neue LT Std 77 Bold Condensed

Minimum font size should not be smaller than 5.5pt

Address and phone to be reversed white, initial cap set in Helvetica Neue LT Std 57 Condensed

Minimum font size should not be smaller than 5.5pt



# SIMPLE PROCESS. **TOUGH** PROCESSOR.

Meet your new herd-feeding workhorse. The BPX9010 is ready to bring simplicity, durability and versatility to your farm or ranch. Ready to distribute uniform windrows along bunk lines or out in the pasture. Ready to spread bedding with consistency and accuracy at ranges up to 50 ft (15.2 m). Ready to simplify the process of processing bales. It's ready. Are you?



Vermeer and the Vermeer logo are trademarks of Vermeer Manufacturing Company in the U.S. and/or other countries. © 2018 Vermeer Corporation. All Rights Reserved.

**DEALERSHIP 1**  
Street Address  
123-456-7890

**DEALERSHIP 2**  
Street Address  
123-456-7890

**DEALERSHIP 3**  
Street Address  
123-456-7890

**DEALERSHIP 4**  
Street Address  
123-456-7890

**DEALERSHIP 5**  
Street Address  
123-456-7890

**DEALERSHIP 6**  
Street Address  
123-456-7890

**DEALERSHIP 7**  
Street Address  
123-456-7890

**DEALERSHIP 8**  
Street Address  
123-456-7890

**DEALERSHIP 8**  
Street Address  
123-456-7890

**DEALERSHIP 10**  
Street Address  
123-456-7890


Location listing title to be 80% black in all caps set in Helvetica Neue LT Std 77 Bold Condensed

Address and phone to be 80% black, initial cap set in Helvetica Neue LT Std 57 Condensed

Minimum font size should not be smaller than 5.5pt


Minimum font size should not be smaller than 5.5pt





**SIMPLE PROCESS.**  
**TOUGH**  
**PROCESSOR.**

Meet your new herd-feeding workhorse. The BX9010 is ready to bring simplicity, durability and versatility to your farm or ranch. Ready to distribute uniform windrows along bunk lines or out in the pasture. Ready to spread bedding with consistency and accuracy at ranges up to 50 ft (15.2 m). Ready to simplify the process of processing bales. It's ready. Are you?

**Vermeer**  


Vermeer and the Vermeer logo are trademarks of Vermeer Manufacturing Company in the U.S. and/or other countries. © 2018 Vermeer Corporation. All Rights Reserved.

**DEALER  
LOGO HERE**

Address or additional info  
123-456-7890

1 color reversed white dealer logo

If there is no logo, typeset dealer name to be reversed white set in Helvetica Neue LT Std 77 Bold Condensed

Font size should not be smaller than 15pt

Address and phone to be 80% black, initial cap set in Helvetica Neue LT Std 57 Condensed

Minimum font size should not be smaller than 12pt

Dividing pipe stroke to be 1pt reversed white

Length dependent on logo size or typeset dealer name