



VERMEER[®] NET

Vermeer[®]




TYLER KNIGHT SWITCHED TO VERMEER® NET AND BALED

347


**BALES IN A DAY
WITH ZERO TEARS.**

Tyler Knight had a problem with netwrap ripping right down the middle and losing 10% to 20% of his hay crop. That wouldn't cut it for this custom operator who couldn't charge customers for ripped-up bales. After sampling a few other brands, he finally made the switch to Vermeer Net. Hundreds of bales later, he's yet to lose a single one. Plus, he covers each bale with less netwrap — which adds up to savings. Needless to say, Tyler's got netwrap covered. See Tyler's full story and more at makinhay.com/stories.




BALE SHAPE

Choosing Vermeer Net isn't just about improving bale appearance. It's an investment that helps protect the time and energy you've put into growing forage. Above all else, it's a statement that says the nutritional quality of your bales is something worth protecting.




NET SPREAD

Little net stretch with optimum net spread to cover square-shouldered bales from one side to the other.



TIME SAVED

When using netwrap, 1 to 3 turns of the bale are necessary for an ideal bale wrap, compared to using twine, which requires at least eight revolutions. That equates to savings in time, labor, fuel and materials.



VERSATILITY

Vermeer Net can be used when baling wet and dry hay. Nine different sizes are available. Don't own a yellow baler? No problem — Vermeer Net fits most balers.



STACKABILITY


For operators who sell their hay, netwrapped bales often keep their shape better and have squarer shoulders when compared to twine — making them more visually appealing, more efficient to stack and better able to withstand handling and hauling.



STRENGTH

Strong netwrap, like Vermeer Net, can keep the bale wrapped tighter compared to using twine. Tighter and denser bales create improved water-shedding capabilities for reduced hay loss while storing hay.

VERMEER NET SIZES	
ROLL WIDTH	ROLL LENGTH
48 in (121.9 cm)	5,000 ft (1,524 m)
48 in (121.9 cm)	9,840 ft (3,000 m)
51 in (129.5 cm)	5,000 ft (1,524 m)
51 in (129.5 cm)	9,840 ft (3,000 m)
53 in (134.6 cm)*	9,840 ft (3,000 m)
64 in (162.6 cm)	7,000 ft (2,133 m)
64 in (162.6 cm)	8,800 ft (2,682 m)
67 in (170.1 cm)	7,000 ft (2,133 m)
67 in (170.1 cm)	8,000 ft (2,438 m)



Vermeer Corporation
1410 Vermeer Road East
Pella, Iowa 50219
800-370-3659 • vermeer.com

This brochure contains third-party observations, advice or experiences that do not necessarily reflect the opinions of Vermeer Corporation, its affiliates or its dealers. Testimonials and/or endorsements by customers in specific circumstances may not be representative of normal circumstances experienced by all customers. Individual results may vary based on care and operation of machine and crop and field conditions, which may adversely affect performance. Information was gathered from a third party who was advised his/her experience might be featured in marketing materials.

Vermeer Corporation reserves the right to make changes in engineering, design and specifications; add improvements; or discontinue manufacturing at any time without notice or obligation.

Equipment shown is for illustrative purposes only and may display optional accessories or components specific to their global region. Please contact your local Vermeer dealer for more information on machine specifications.

Specifications, descriptions and illustrative material herein are as accurate as known at time of publication, but are subject to change without notice. Availability of some models and equipment builds varies according to the country in which the equipment is used.

Vermeer, the Vermeer logo and the Black, White, Green bale wrap color scheme (Vermeer Net) are trademarks of Vermeer Manufacturing Company in the U.S. and/or other countries. © 2020 Vermeer Corporation. All Rights Reserved.

LF 00486 09/20 SG (9K) / PN#180026167



VERMEER NET